



**GENERAL  
PARTITIONS** *Mfg. Corp.*

PRODUCT GUIDE



# Accessories


SEE PAGE 11

# UNSURPASSED SERVICE

EASY MAINTENANCE



DIAMOND TEXTURE  
STAINLESS STEEL



# ADVANTAGES AND ACCESSORIES

- ▶ A leader in the industry with **over 60 years of experience**, offering the largest selection of partitions in the industry, with 5 different styles and 5 different material options.
- ▶ **USA Made**—All of our products are proudly manufactured in Erie, PA U.S.A.
- ▶ **Outstanding customer service** since our inception—**second to none!**
- ▶ Our shipments arrive to you safely with our cellular poly wrap, which has proven to reduce freight damage.
- ▶ Express ship allows your orders to ship in as few as **2 working days**.
- ▶ Use of TORX head fasteners with pin to prevent theft and vandalism.
- ▶ Barrier free design and operational handles to meet ADA requirements.
- ▶ **Green Materials**



## PROJECTS THAT WE ARE PROUD TO BE PART OF



**Fort Benning**

Series 40-3



**Fort Knox**

Series 40-7



**PNC Ballpark**

280  
Compartments:  
of Series 40  
floor mounted/  
overhead braced.  
**Material:** Powder  
Coated Steel



**Pentagon Wedge 1**

240  
Compartments: of  
Series 40 floor  
mounted/overhead  
braced  
**Material:** Solid  
Phenolic Core



**Boston Convention Center**

250 Compartments:  
Series 60  
floor to ceiling.  
**Material:** Stainless  
Steel



**Estadio-Chavis:  
Chivas Soccer Stadium—  
Guadalajara**

680  
Compartments: Combination  
of 40 and 50 floor mounted/  
overhead braced, and ceiling  
hung.  
**Material:** Anti-Graffiti Powder  
Coated Steel, Stainless Steel  
and Solid Phenolic Core



## 30 SERIES

Where no overhead bracing is required, but ceiling hung partitions are impractical, General Partitions' 30 Series (floor supported) is ideal. Modern spaciousness and rigidity are important features. The 30 Series is also featured in a 54" "Junior Size" which has proved to be a great help with younger children.



## 40 SERIES

Our most popular style of toilet compartment construction is 40 Series (floor supported with headrail.) It is recommended for new and old buildings where economy, ease of installation, and rigid overhead bracing are required.



## 50 SERIES

The ease of floor maintenance when General Partitions' 50 Series (ceiling hung) style is used has influenced architects and building owners to utilize this style, particularly on construction where dropped ceiling or open span type construction is practical.



## 60 SERIES

General Partitions' floor to ceiling 60 Series is recommended for all areas subject to heavy usage. For problem areas, we recommend the use of full length aluminum brackets and hinges.



## 70 SERIES

General Partitions' Elevated Privacy 70 Series partitions offer increased privacy with 72" tall panels and doors. Full height brackets, hinges, and privacy strips conceal sight lines. The pedestal floor supports allow for easy maintenance.





PEDESTAL CLOSE-UP



## 70 SERIES - ELEVATED PRIVACY

### Headrail Braced with Pedestal Floor Support

General Partitions' Elevated Privacy 70 Series partitions offer increased privacy with 72" tall panels and doors. Full height brackets, hinges, and privacy strips conceal sight lines. The pedestal floor supports allow for easy maintenance.

#### AVAILABLE IN:

- ▶ 70-1 Powder Coated Steel
- ▶ 70-3 Stainless Steel or Textured Stainless Steel
- ▶ 70-6 Solid Phenolic Core
- ▶ 70-12 Color Thru Phenolic

#### STANDARD FEATURES

- ▶ 72" High Panels & Doors
- ▶ Mounted 6" Above Finished Floor
- ▶ Pilasters are 76" High – Overhead Braced with Aluminum Headrail
- ▶ Pedestal Supports (6" High)
- ▶ SS Indicator Latches
- ▶ SS Door Hardware
- ▶ 71" Continuous SS Brackets
- ▶ 71" Continuous SS Gravity Hinges
- ▶ 71" Aluminum Privacy Strips – Strike Side



**CHANGES TO CONSTRUCTION  
OR HARDWARE NOT PERMITTED**

# POWDER COATED STEEL



## ANTI-GRAFFITI OPTION AVAILABLE


Fireproof steel partition will not support a flame or produce toxic gases.

**Express shipment will ship in 2 working days on all 21 colors.** Some restrictions apply. Our complete color chart is available upon request.




No upcharge

### SERIES 40




## CONSTRUCTION

General's standard panel with Ribcore sound deadening reinforcement is offered as a standard at no extra charge. Sheet metal skins are bonded under pressure to each cell of the core with an adhesive impervious to moisture. Lighter weight, greater strength and permanently flat panels are provided through this type of construction.



### SERIES 50



## CORNER REINFORCEMENTS



Used on all steel partitions at exposed corners. Mechanically fused to the edges. Doubles the strength of the corner. Also allows field repairs if and when required. Eliminates welding and grinding of the corners which removes the protective zinc coating.

## MATERIAL OVERVIEW

General's Powder Coated Galvanized Bonderized Steel is available in all styles for toilet partitions, showers and dressing compartments. The economy and durability of Powder Coated Steel makes it the popular choice for new construction or remodeling.

## GREEN ALERT

Environmentally safe—our Hybrid Polyester—Epoxy powder contains no harmful solvents or VOC's applied electrostatically and baked in an energy efficient infrared oven to cure. Contains post consumer and post industrial recycled steel and may contribute to LEED Certification.

MIN. 50% RECYCLED



# STAINLESS STEEL



Stainless steel is not only a strong and durable choice, but also an architecturally pleasing addition to any decor. Choose our elegant standard satin finish, or elevate your design with the striking Diamond textured finish, available as a premium upgrade.

- Fireproof steel partition will not support a flame or produce toxic gases.


## TEXTURED STAINLESS STEEL

The partitions are fabricated with a deep textured finish, and offer the following advantages:


- Vandal Resistant
- Resists Fingerprints and Smudges
- Reduces Maintenance Costs
- Guaranteed 15 Years

## MATERIAL OVERVIEW

General's stainless steel is available in all styles for toilet partitions, showers and dressing compartments. Stainless steel, the deluxe steel partition material will hold it's beauty for years. Dirt, grease and cosmetics are easily removed. Even scratches can be eliminated by buffing the finish and blending the surface.



Satin finish shown



Diamond Pattern



## GREEN ALERT

- No VOC's
- Contains post consumer and post industrial recycled steel and may contribute to LEED Certification.
- Stainless Steel is 100% recyclable.

MIN. 50% RECYCLED



## CONSTRUCTION & DETAILS



# HIGH DENSITY POLYMER




## STANDARD

- ▶ Heavy duty 8" wraparound hinges and continuous aluminum brackets at all locations adds strength and durability
- ▶ Graffiti resistant
- ▶ 25 year guarantee
- ▶ Same American Quality

## OPTIONS:

- ▶ Integral hinges, continuous hinges
- ▶ No sight strike
- ▶ All styles available to meet ASTM E 84 Class 'B' Fire Rating (as an upcharge)

**Express shipment for all 18 colors will ship in 2 working days**—some restrictions apply. Our color chart is available upon request.



## MATERIAL OVERVIEW


General's HDP toilet partitions, showers and dressing compartments are manufactured using high density polymer resin. Color is solid throughout. Compartments will not rust, rot, delaminate or absorb odors like marble. Water resistant, can be used under any moisture condition. Perfect for shower and dressing compartments as well as toilet partitions. Resists mold, mildew, bacteria & fungus.

## GREEN ALERT

- ▶ We recycle all waste and scrap during our manufacturing process.
- ▶ HDP sheets are recyclable.

**25-70% POST-INDUSTRIAL RECYCLED MATERIAL.**


## HORIZONTAL SECTION



**ENGINEERED  
FOR LONGEVITY**

**IF EVER REPLACED, PLEASE RECYCLE OR REUSE  
FOR ENVIRONMENTAL CONSCIOUSNESS.**





**SCRATCH AND GRAFFITI RESISTANT FINISH**



**Declare.**



## GREEN ALERT

- ▶ NSF & SFI Certified
- ▶ May contribute to LEED Certification

## MATERIAL OVERVIEW

General's SPC toilet partitions, showers and dressing compartments are fabricated of solid phenolic core with matte finish high pressure melamine fusion welded to surface of core to form a one piece unit which will not delaminate. Edges are black solid phenolic resin. Resists moisture, scratches, and abrasion. SPC panels provide exceptional chemical and stain resistance combined with superior impact resistance. Class 'B' Fire Rating is standard.

**\*Express shipment will ship in 2 working days**

—some restrictions apply. Our color chart is available upon request.



**D381-60\***  
Fashion Grey



**4830-60\***  
Satin Stainless



**4878-60\***  
Pewter Mesh




**4882-60\***  
Oiled Soapstone



**1573-60**  
Frosty White



**4623-60\***  
Graphite Nebula



**4142-60\***  
Grey Glace



**1595-60\***  
Black



**D321-60\***  
Brittany Blue



**D30-60**  
Natural Almond




**4926-60**  
Black Alicante



**4924-60**  
White Carrara



**4170-60**  
Beige Pampas



**4990-60**  
Flax Linen




**D327-60**  
Pepperdust



**4886-60**  
Pearl Soapstone




**4843-60**  
Misted Zephyr



**4779-60**  
Pewter Brush



**4879-60**  
Steel Mesh



**4651-60**  
Navy Legacy



**4674-60**  
Evening Tigris



**4820-60**  
Carbon Ev



**4669-60**  
Natural Tigris



**7937-60**  
River Cherry




**7954-60**  
Natural Rift

# COLOR THRU PHENOLIC



## COLOR THROUGHOUT




**Color Thru Phenolic** offers all the strength and durability of our black core phenolic, with the added advantage of consistent matching color throughout the core. It is a perfect choice for high traffic areas. The Color Thru Phenolic carries all the same specs and hardware as our standard black core SPC. Class 'A' Fire Rating is standard.

## 4 PREMIUM COLORS


### PREMIUM COLORS

These colors/patterns are premium colors, hence pricing will be higher.

For the colors with a directional pattern, the grain of any panels over 60" will run perpendicular to the grain on the pilasters and doors.



**D92**  
Dove Grey



**4991**  
Pressed Linen



**7999**  
Field Elm



**8212**  
Phantom Ecu




## SCRATCH AND GRAFFITI RESISTANT FINISH



**Declare.**

### PATTERN CLOSE-UP\*



### ADVANTAGES

Toilet Partitions offering all of the dependability of Phenolic, but adds the advantage of being color consistent throughout the thickness of the partition.

### STANDARD PRODUCT HIGHLIGHTS

- ▶ Core color extends all the way through the product
- ▶ All 4 colors made in USA
- ▶ Resists moisture, scratches, and abrasions



- ▶ GreenGuard Gold Certification



\*Picture shows Diamond Indicator Latch as an upgrade.

All colors and patterns are printed reproductions only. Please request actual sample for absolute color fidelity. Colors are subject to change.



## EASTERN STYLE

When increased privacy is required **“Eastern Style” is an option we can incorporate into Powder Coated Steel, Stainless Steel, High Density Polymer, Solid Phenolic Core, and Color Thru Phenolic.** Panels and doors are specified as 67” high and mounted 4” above finished floor, except as noted below:

- 40 & 60 Series SPC shall be mounted 5” above the finished floor
- 30 Series SPC shall be mounted 6” above the finished floor

## EASTERN MAX STYLE

When increased privacy is required **“Eastern Max Style” is an option we can incorporate into Powder Coated Steel, Stainless Steel, High Density Polymer, Solid Phenolic Core, and Color Thru Phenolic.** Panels and doors are specified as 72” high and mounted 4” above finished floor, except as noted below:

- 40 & 60 Series SPC shall be mounted 5” above the finished floor
- 30 Series SPC shall be mounted 6” above the finished floor

**Continuous brackets and no-sight door options are available as add-ons to Eastern Style and Eastern Max Style to minimize sight gaps.**

### STANDARD FEATURES

- ▶ 67” or 72” High Panels & Doors
- ▶ Mounted 4” Above Finished Floor

### OPTIONAL

- ▶ Continuous Brackets / Hinges
- ▶ No Sightline Gaps at Doors
- ▶ Indicator Latches



We have been in the commercial bathroom partition manufacturing business for over 50 years, providing outstanding products and customer service. General Partitions' line of accessories is the perfect addition to any commercial washroom. Included in this product guide are our most popular accessories, but you can view our accessory catalog at [www.generalpartitions.com](http://www.generalpartitions.com) for our complete list of available accessories.



## NEW SHOWER BAR ACCESSORY

- 18" Towel Bar (BSB-149-18)
- 19-1/2"(W) x 2" (H) x 3-9/16" (D)
- Satin stainless steel

Item number: GP-1060

- 24" Towel Bar (BSB-149-24)
- 25-3/8"(W) x 2" (H) x 3-9/16" (D)
- Satin stainless steel

Item number: GP-1042



## SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

- Two standard toilet tissue roll capacity
- Satin stainless steel
- Net weight: 4.32 lbs
- 155 (W) x 280 (H) x 150 (D) mm  
6-1/16" (W) x 11" (H) x 5-15/16" (D)

Item number: GP-107



## SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

- Two standard toilet tissue roll capacity
- Satin stainless steel
- Net weight: 4.59 lbs
- 155 (W) x 280 (H) x 150 (D) mm  
6-1/16" (W) x 11" (H) x 5-15/16" (D)

Item number: GP-108



## SURFACE MOUNT PAPER TOWEL DISPENSER

- C-fold or multifold towels
- Tumbler lock
- Satin stainless steel
- Net weight: 2.2 lbs
- 275 (W) x 355 (H) x 100 (D) mm  
10-13/16" (W) x 14-1/16" (H) x 3-15/16" (D)

Item number: GP-201



## STAINLESS STEEL TOILET SEAT COVER DISPENSER

- Satin stainless steel
- Net weight: 1.25 lbs
- 400 (W) x 285 (H) x 55 (D) mm  
15-3/4" (W) x 11-1/4" (H) x 2-13/16" (D)

Item number: GP-109



## SINGLE ROBE HOOK

- Bright polished finish
- Concealed surface mounting
- Satin stainless steel
- Net weight: .23 lbs
- 2" x 2" x 2" including hook  
2" x 2" x 1-1/2" without hook

Item number: GP-907



## SANITARY NAPKIN DISPOSAL

- Satin stainless steel
- Net weight: 0.65 lbs
- 190 (W) x 255 (H) x 95 (D) mm  
7-1/2" (W) x 10" (H) x 3-13/16" (D)
- 4.8L capacity

Item number: GP-401



## AUTO MULTI-FUNCTION SOAP DISPENSER

- Hands-free
- Auto-detecting sensor
- Capacity: 500 mL (16.9 oz.)
- Net weight: 2 lbs
- 106 (W) x 230 (H) x 95 (D) mm  
4-1/6" (W) x 9" (H) x 3-3/4" (D)

Item number: GP-505



## 18" STAINLESS STEEL GRAB BAR

- Stainless steel
- Snap-on flange
- Net weight: 1.2 lbs
- Length 18" (450mm)
- Depth 2-3/4" (70mm)
- 1-1/2" Diameter

Item number: GP-609



## CHANNEL FRAME MIRROR

- Satin stainless steel frame with mitered corners
- 1/4" Thick Float Glass Mirror, electrolytic copper back
- 22 gauge wall plate and backplate

Item number: GP-901 **18" x 36"**

Item number: GP-902 **24" x 36"**

## 36" STAINLESS STEEL GRAB BAR

- Stainless steel
- Snap-on flange
- Net weight: 1.8 lbs
- Length 36" (900mm)
- Depth 2-3/4" (70mm)
- 1-1/2" Diameter

Item number: GP-612

## 42" STAINLESS STEEL GRAB BAR

- Stainless steel
- Snap-on flange
- Net weight: 2.0 lbs
- Length 42" (1070mm)
- Depth 2-3/4" (70mm)
- 1-1/2" Diameter

Item number: GP-613

View more products on our website

**[www.generalpartitions.com](http://www.generalpartitions.com)**

For quotes, email: [accessories@generalpartitions.com](mailto:accessories@generalpartitions.com)





# SOLID PLASTIC HDP LOCKERS

General Partitions' solid plastic locker is constructed of a one-piece HDP body with no mechanical fasteners or hardware.


The locker frame is attached using full length dado joints secured by continuous plastic welds. The continuous spring-loaded latch mechanism provides a vertical lift that is designed to accept a padlock. The latch mechanism runs the full length of the door, providing a continuous and secure seal.

Our Door Hinge is also continuous and contains no metallic knuckles or pins. Solid Plastic benches with pedestals are available to match the lockers.

- ▶ Solidly Constructed of High Density Polymer
- ▶ Perfect for High Moisture Areas
- ▶ Will not Rust, Rot, Dent or Corrode
- ▶ 20 Year Limited Warranty




- ▶ We recycle all waste and scrap during our manufacturing process.



## AVAILABLE SIZES

A = 12", 15", or 18"  
B = 12", 15", or 18"  
C = 60" or 72"





## URINAL SCREENS



Wall Hung (WHS)



Wall Hung (WHS)  
(Shown with  
optional flange)



Floor Braced  
Screen (FBS)



Floor Supported  
with Headrail (FSH)

### Wall Hung (WHS)

Screen is hung from three chrome-plated "T" brackets.

### Floor Braced Screen (FBS)

Screen panel supported by a floor supported pilaster (see Series 30 specification).

### Floor Supported With Headrail (FSH)

Headrail braced (see Series 40 specification). Panel supported by pilaster with headrail bracing.

## SHOWER CABINETS

### Shower Cabinets


General Partitions' shower is the finest in double-wall unit shower construction. It features a pre-cast terrazzo receptor. Available sizes—32" x 32" x 82", 36" x 36" x 82", 40" x 40" x 82" Neocorner, 40" x 40" x 82" or 40" x 48" x 82" Handicapped.




Physically Handicapped Accommodations

## SHOWER/DRESSING COMPARTMENTS

Our shower / dressing compartments are available in Powder Coated, Stainless Steel, SPC (Solid Phenolic Core), and HDPE (High Density Polymer). Perfect for dividing off shower rooms with a central drain. Can be configured with either curtains or doors. Eastern Height or Eastern Max can be incorporated when more privacy is desired.






## HDP (HIGH DENSITY POLYMER)

- A 1500 AL-T Top Assembly Aluminum Wrap-Around Gravity Hinge
- B 1500 AL-B Bottom Assembly Aluminum Wrap-Around Gravity Hinge
- C 2060-IAL Inswing Stop and Keeper—Aluminum 2060-OAL Outswing (Not Shown) Stop and Keeper—Aluminum
- D 6250 Door Bumper
- E 6300 Door Pull
- F 2000 AL Surface Mounted Slide Latch—Aluminum
- G 6200D Combination Coat Hook and Bumper
- H 6000 EXT 1" (54") "T" Bracket
- I 6060 EXT 1" (54") "L" Bracket
- J 6030 EXT 1" (54") "U" Bracket



## BAKED ENAMEL/STAINLESS STEEL


- A 2060D Combination Stop and Keeper
- B 1250D Top Hinge Bracket
- C 1250D-B Bottom Hinge Bracket with Male Cam (sold separately)
- D 6200D Combination Coat Hook and Bumper
- E 1500D-T Top Hinge Pin
- F 1000D-C Spring Activated Cam Mechanism
- H Miscellaneous Screws
- I 4000 1" Two Ear Chrome Wall Bracket
- J 4030 1" "U" Chrome Bracket
- K 2000D Concealed Latch Operating Handle
- M 6250 Door Bumper
- N 4120 1 1/4" One Ear Chrome Wall Bracket
- O 4060 1" One Ear Chrome Wall Bracket
- P 6300 Door Pull



## SPC (SOLID PHENOLIC CORE)

- A 1500 AL-T Top Assembly Aluminum Wrap-Around Gravity Hinge
- B 1500 AL-B Bottom Assembly Aluminum Wrap-Around Gravity Hinge
- C 2060-IAL Inswing Stop and Keeper—Aluminum 2060-OAL Outswing (Not Shown) Stop and Keeper—Aluminum
- D 6250 Door Bumper
- E 6300 Door Pull
- F 2000 AL Surface Mounted Slide Latch—Aluminum
- G 6200D Combination Coat Hook and Bumper
- H 4000 (.5) 1/2" "T" Chrome Bracket
- I 4060 (.5) 1/2" "L" Chrome Bracket
- J 4060 (.75) 3/4" "L" Chrome Bracket
- K 4030 (.5) 1/2" "U" Chrome Bracket

## OPTIONAL HARDWARE



### OPTIONAL FULL LENGTH HINGES

- Stainless Steel Cam
- Stainless Steel Piano
- Spring Loaded Stainless Steel
- Spring Loaded Aluminum Hinge with Covers (Concealed Fasteners)

### OPTIONAL HEAVY DUTY FULL LENGTH BRACKETS

- Available in Aluminum or Stainless Steel



'80s


'90s

'00s

'70s

'50s

'60s



**GENERAL PARTITIONS MFG. CORP.**

1702 Peninsula Drive • Erie, PA 16505-4243 | P.O. Box 8370 • Erie, PA 16505-0370  
Phone 814.833.1154 • Fax 814.838.3473

[www.generalpartitions.com](http://www.generalpartitions.com)

[info@generalpartitions.com](mailto:info@generalpartitions.com) | [sales@generalpartitions.com](mailto:sales@generalpartitions.com)

Printed on Recycled Paper. Printed in the USA, 2025.